

Message

From: Laura Jensen [ljensen@rouxinc.com]
Sent: 12/20/2018 8:54:54 PM
To: Gunnar Emilsson [EmilssonGR@cdmsmith.com]; Cirian, Mike [Cirian.Mike@epa.gov]
CC: Berry, David [Berry.David@epa.gov]; Sanchez, Brian [sanchez.brian@epa.gov]; Skipper, Sherry [Skipper.Sherry@epa.gov]; Lynn Woodbury [woodburyl@cdmsmith.com]; Erin Formanek [Formanekek@cdmsmith.com]; Coan, Sean [CoanSM@cdmsmith.com]; Dick Sloan [rsloan@mt.gov]; John.Stroiazzo@glencore.ca; Steve Wright - CFAC [swright@cfaluminum.com]; Roux IT [mritorto@rouxinc.com]; Andrew Baris [abaris@rouxinc.com]
Subject: RE: EPA comments CFAC BERA Interim Deliverable TMs

Thank you, Gunnar. Roux and our risk assessment team will review these comments and will be in touch regarding a potential call to resolve these comments.

Laura

From: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>
Sent: Thursday, December 20, 2018 3:26 PM
To: Laura Jensen <ljensen@rouxinc.com>; Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Skipper, Sherry <Skipper.Sherry@epa.gov>; Woodbury, Lynn <woodburyl@cdmsmith.com>; Formanek, Erin <formanekek@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Dick Sloan <rsloan@mt.gov>; John.Stroiazzo@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Michael Ritorto <mritorto@rouxinc.com>; Andrew Baris <abaris@rouxinc.com>
Subject: RE: EPA comments CFAC BERA Interim Deliverable TMs

This message originated outside your organization. Please use caution!

Laura:

On behalf of Mike Cirian, attached please find EPA's review of the responses to comments to the interim BERA deliverables referenced in your message below.

As you will see in the reviews, EPA accepts all the responses to the comments with two exceptions. Mike requests that you and your risk assessment team schedule a call with Brian, Sherry and Erin to try to reach a resolution on these two outstanding comments prior to our January 16 call.

Also attached is a reference that you requested.

Thank you and Happy Holidays,

Gunnar Emilsson, P.G., P.E., BCEE
Project Manager
CDM Smith
50 West 14th St., Suite 200, Helena, MT 59601
T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982
emilssongr@cdmsmith.com
cdmsmith.com

From: Laura Jensen <ljensen@rouxinc.com>
Sent: Thursday, December 06, 2018 11:51 AM
To: Cirian, Mike <Cirian.Mike@epa.gov>
Cc: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>; Berry, David <Berry.David@epa.gov>; Sanchez, Brian <sanchez.brian@epa.gov>; Skipper, Sherry <Skipper.Sherry@epa.gov>; Woodbury, Lynn <woodburyl@cdmsmith.com>; Formanek, Erin <formanekek@cdmsmith.com>; Coan, Sean <CoanSM@cdmsmith.com>; Dick Sloan <rsloan@mt.gov>; John.Stroiazso@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Michael Ritorto <mritorto@rouxinc.com>; Andrew Baris <abaris@rouxinc.com>
Subject: RE: EPA comments CFAC BERA Interim Deliverable TMs

Mr. Cirian,

On behalf of CFAC, attached are the responses to USEPA comments on the draft Interim Deliverables for the Baseline Ecological Risk Assessment Work Plan.

We are proceeding with preparing the risk assessment and will incorporate these responses into that process.

Please contact me if you have any questions regarding this submittal.

Thank you,
Laura

Laura Jensen, P.G. – NY | Project Hydrogeologist
209 Shafter Street, Islandia, New York 11749
Main: (631) 232-2600 | Direct: (631) 630-2358
Email: ljensen@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



Please consider the environment before printing this email

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disclosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disclosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.

From: Emilsson, Gunnar <EmilssonGR@cdmsmith.com>
Sent: Thursday, November 1, 2018 5:56 PM
To: Laura Jensen <ljensen@rouxinc.com>
Cc: Cirian, Mike <Cirian.Mike@epa.gov>; 'rsloan@mt.gov' <rsloan@mt.gov>; John.Stroiazso@glencore.ca; Steve Wright - CFAC <swright@cfaluminum.com>; Michael Ritorto <mritorto@rouxinc.com>; Formanek, Erin <formanekek@cdmsmith.com>; Berry, David <Berry.David@epa.gov>; Skipper, Sherry <Skipper.Sherry@epa.gov>; Andrew Baris <abaris@rouxinc.com>
Subject: EPA comments CFAC BERA Interim Deliverable TMs

Laura:

On behalf of Mike Cirian, attached please find EPA's comments to the draft *Technical Memorandum: Proposed Refined Ecological Screening Values to Support the Baseline Ecological Risk Assessment at the Columbia Falls Superfund Site, Former Columbia Falls Aluminum Company Aluminum Reduction Facility, Columbia Falls, Montana* dated September 25, 2018, and draft *Technical Memorandum: Proposed Wildlife Exposure Modeling Approach to Support the Baseline Ecological Risk Assessment at the Columbia Falls Superfund Site, Former Columbia Falls Aluminum Company Aluminum Reduction Facility, Columbia Falls, Montana* dated August 17, 2018.

Please delete the comments to the BERA interim deliverable that I sent yesterday, as I noticed a slight formatting error, and use these two instead.

Thanks,

Gunnar Emilsson, P.G., P.E., BCEE

Project Manager

CDM Smith

50 West 14th St., Suite 200, Helena, MT 59601

T: (406) 441-1422 F: (406) 449-7725 M: (406) 431-3982

emilssongr@cdmsmith.com

<http://cdmsmith.com>